

# CATHEDRAL MICRO

## PRODUCT INFORMATION

Micro Cathedral Architectural Cast Glass. Included in Nathan Allan's exclusive Freeform Series, Micro Cathedral glass is one of 6 new "texture less" kiln formed glass designs. Texture-less designs are a first in our industry, and exclusively created by Nathan Allan. Inspired by ancestral Architecture, Micro Cathedral is in our family of Linear Architectural patterns. Free-forming Flutes are created within this design, each at 1" (25mm) wide. Each flute is separated by a thin, continuous crease, which helps to define the individual flutes. The front convex surface of each flute provides an interesting 3-Dimensional design and privacy effect within this elegant linear design.


The back surface of our Micro Cathedral Architectural Cast Glass is concaved, and also provides a unique appearance and privacy effect. Light will travel through the glass, enhancing the pattern details and amplifying the rich, black color. This Classic Architectural pattern is once again bringing life to historical designs.



MAXIMUM PANEL SIZE	FEET	METERS	
Annealed or Tempered	5 x 10	1.5 x 3.0	
GLASS TYPES / THICKNESS	5/16" 8 MM	3/8" 10 MM	1/2" 12 MM
Clear	•	•	•
Low Iron	•	•	•
Black		•	•
Bronze		•	•
Edgework	Machine flat polished		
Color Finishes	Lucent, Pearl		
Privacy Finishes	Frosted, Etched		
Safety	Tempered, Laminated		
Cleaning	Our glass products can be cleaned with liquid cleaners and paper towels, or soft clothes. Liquid cleaners with out ammonia will help reduce streaks on the glass. Avoid all abrasive cleaning materials.		
Flat Margins	Outside Vertical Edges – from 1/4" to 3/4" (6mm to 19mm). Interior Vertical Edges – 1/8" to 1/4" (4mm to 6mm)		
Pattern Details	Individual Flutes are 1" (25mm) wide. Back surface is concaved with a 1/16" (2mm) flute depth. Depth can vary slightly. Flutes can run in vertical or horizontal direction.		

# CATHEDRAL MICRO GLASS PROFILE, SECTION VIEW

## CATHEDRAL MICRO GLASS TOP | BOTTOM SECTION VIEW



flat margin A – produced on the outside Vertical edge of panel, where glass is inserted into channel or molding. Outside flat margins will typically range from 1/4" to 3/4" wide


flat margins B + C – produced on the inside Vertical edges of panels, where panels are installed side x side. Inside flat margins will typically be 1/8" wide or less

D – indicates thickness of flat section of glass

E – indicates overall pattern thickness of glass

*(Please note that the pattern thickness depth can vary slightly, from 1/16" to 1/8", on some panels)*

## CATHEDRAL MICRO GLASS TOP | BOTTOM SECTION VIEW



flat margin A – produced on the outside Vertical edge of panel, where glass is inserted into channel or molding. Outside flat margins will typically range from 6 mm to 19 mm wide

flat margins B + C – produced on the inside Vertical edges of panels, where panels are installed side x side. Inside flat margins will typically be 3 mm wide or less

D – indicates thickness of flat section of glass

E – indicates overall pattern thickness of glass

*(Please note that the pattern thickness depth can vary slightly, from 2mm to 4mm, on some panels)*